



Bag Filters

Bag filters are used in almost every industry to remove sediment, debris and gelatinous particles from liquids in higher flow or viscosity applications.

Fluid processes where high solids content and wide ranges of sizes and shapes of particles, require removal, benefit from the very large dirt holding capacity of bag filters, making them the economical bulk solids removal solution.

IFAB's filter bags are mainly produced in four different types of material; Polyester, Polypropylene, Nylon and Nomex. Both standard and extended life media are available. The bags have a wide range of micron ratings and are sealed with a ring made of either steel or plastic. It's also possible to get it welded or stitched.

IFAB offers customized selection of size, material, ring and micron.

Key Product Features

- Totally customized upon request
- Easy bag changing
- Contamination is contained inside the bag, thanks to the inside-out flow
- Welded construction of bags completely eliminates unfiltered liquid bypass caused by needle holes
- 100% Silicone-free to eliminate cratering for improved surface results
- Suitable for automotive applications
- Single-packed Food Grade bags available
- CE, FDA, ISO 9001: 2015, ED 2002/72/EC



Full range of bag filters



1 2 3 4 & Special



1-1200 micron



1.5 Bar

Polypropylene 80°C

Polyester 140°C

Nylon 140°C

Nomex 190°C



See webpage for more products



Custom made & OEM available



Produced by **IFAB** Sweden



CE  FDA  ISO 2002/72/EC